

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Name: KLEENEX® Green Certified Foam Hand Sanitizer

Product Number: 33939, 33941, 33942, 33943, 33945, 33946, 33947, 33948, 33949,

33951

Date Prepared:	2/2/2012
Manufacturer:	Kimberly-Clark Corporation 1400 Holcomb Bridge Road Roswell, GA 30076-2199 United States of America
Contact:	MEDICAL EMERGENCY 1-877-561-6587
	TRANSPORTATION EMERGENCY Chemtrec 1-800-424-9300 INFORMATION 1-888-346-4652
	For additional information contact: kcpinfo@kcc.com.

Product Use: Skin/personal cleansing

# 2. HAZARDS IDENTIFICATION

Milky liquid. Alcohol odor.

Emergency Overview: Flammable liquid. Keep away from heat and sources of ignition.

EU Classification (1999/45/EC): F - Highly flammable; R11


US OSHA Classification (29CFR1910.1200): Flammable liquid. Eye Irritant.

Canadian WHMIS Classification: Class B-2 Class D-2-B

GHS Classification: Flammable Liquid Category 2.. Eye Corrosion/Irritation Category



# **GHS Labeling:**



#### DANGER

H225. Highly flammable liquid and vapor.

H320. Causes eye irritation.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minuts. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with all local and national regulations.

P370+P378 In case of fire: Use water, carbon dioxide, dry chemical or alcohol foam for extinction.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No./ EINECS- No	%	EU Classification (67/548/EEC):
Ethanol (ethyl alcohol)	64-17-5 / 200-578-6	70%	F, R11
Isopropanol (Isopropyl alcohol, propan-2-ol)	67-63-0 / 200-661-7	5%	F, Xi R11, R36, R67
Non-Hazardous Ingredients	Proprietary	20-30%	Not applicable

See Section 16 for further information on EU Classification.

## 4. FIRST AID MEASURES

Inhalation: Move to fresh air. Seek medical advice if cough, shortness of breath or other respiratory problems occur.

**Skin contact:** None required for normal use. This product is intended for use on the skin. Seek medical advice if redness, swelling, itching or burning occurs.



**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention if irritation persists.

**Ingestion:** Call a physician or Poison Control Centre immediately. If victim is conscious, rinse mouth with a small amount of water. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water, water fog, foam, carbon dioxide, dry chemical.

**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus and protective suit.

Unusual Fire and Explosion Hazards: Flammable liquid. Vapors are heavier than air and may flow along surfaces to remote ignition sources and flash back.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide.

## 6. ACCIDENTAL RELEASE MEASURES

Remove all sources of ignition. Ventilate the area. Contain and collect with inert absorbent material and place in a suitable container for disposal. Comply with all federal, state and local regulations.

# 7. HANDLING AND STORAGE

Avoid contact with eyes. Avoid breathing vapors or mists. Keep away from heat and sources of ignition. When using do not smoke.

Store in a cool, dry, well ventilated area.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	Exposure limit(s)
Ethanol (ethyl alcohol)	1000 ppm PEL-TWA 1000 ppm TLV-STEL 500 ppm TWA DFG MAK 1000 ppm TWA UK 8 hr.
Isopropanol (Isopropyl alcohol, propan-2-ol)	400 ppm US OSHA PEL-TWA 200 ppm ACGIH TLV-TWA, 400 ppm ACGIH TLV-STEL 200 ppm DFG MAK 400 ppm UK 8 hr TWA, 500 ppm UK 15 min

**Ventilation:** Ensure adequate ventilation to maintain airborne concentrations below applicable occupational exposure limits.



**Respiratory Protection:** None required for normal use. If the exposure limit is exceeded or for symptoms of overexposure, wear an appropriate NIOSH (or local authority) certified respirator.

Hand Protection: None required for normal use. Skin Protection: None required for normal use.

Eye Protection: Wear safety goggles if eye contact is possible.

For bulk processing, regular hand washing along with general body-covering clothing, safety goggles and gloves are recommended as good industrial hygiene practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor	Milky liquid.Alcohol odor.
Boiling point/range	Not available
Melting point/range	Not available
Specific Gravity (water=1)	0.875
Vapor pressure	45 mmHg@20°C(Ethanol (ethyl alcohol))
Vapor density (air=1)	1.6
Solubility	Complete
рН	5.0
Partition coefficient (n-octanol/water):	Not available
Evaporation Rate (Butyl acetate=1)	Not available
Percent Volatile by Volume (%)	>90%
Volatile Organic Carbon Compounds (VOC) (g/L)	70%
Flashpoint:	13°C (55°F)(Ethanol (ethyl alcohol)
Flammable Limits in Air % by Volume:	LEL (Lower): 2.0%
	UEL (Upper): 19%

# 10. STABILITY AND REACTIVITY

Stability: Stable

Conditions to Avoid: Avoid sparks, flame and excessive heat.

Materials to avoid: Strong oxidizing agents.

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

Hazardous Polymerization: Does not occur.



# 11. TOXICOLOGICAL INFORMATION

# Symptoms/Effects of Overexposure:

**Inhalation:** Excessive inhalation may cause respiratory irritation, coughing, shortness of breath, nausea, dizziness, loss of coordination, drowsiness, loss of consciousness and other symptoms of central nervous system depression.

**Skin contact:** Prolonged skin contact may cause mild irritation in sensitive individuals. Not expected to be absorbed through the skin.

Eye contact: Contact with eyes may cause irritation.

**Ingestion:** May cause mucous membrane and gastrointestinal irritation and other adverse effects. May cause nausea, vomiting, diarrhea, dizziness, drowsiness and other symptoms of central nervous system depression.

**Chronic toxicity:** Prolonged skin contact may cause mild irritation in sensitive individuals.

Medical Conditions Aggravated by Exposure: None currently known. May possibly aggravate dermatitis, psoriasis and other skin conditions.

**Carcinogenicity Data:** None of the components of this product is listed as a carcinogen by IARC, NTP, US OSHA or the European Directive (67/548/EEC).

**Reproductive Toxicity:** Ethanol has been found to cause adverse reproductive effects in laboratory animals. Ethanol is known to cause fetal alcohol syndrome when orally ingested by pregnant humans.

**Acute Toxicity Values:** Ethanol: LD50 oral rat: 7060 mg/kg; Inhalation LC50 (rat, 10 hr): 20,000 ppm; Eye irritation, Draize Test (rabbit): Severe (500 mg/24 hr)

Isopropanol (Isopropyl alcohol): LD50 Oral rat 5045 mg/kg; LD50 Skin rabbit 12,800 mg/kg; LC50 Inhalation rat 16,000 ppm/8 hour

Glycerin: Oral rat LD50 12.6 g/kg.

## 12. ECOLOGICAL INFORMATION

No data is currently available.

# 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with all state, local and federal regulations.

#### 14. TRANSPORT INFORMATION

US DOT Shipping Description: UN1987, Alcohols, n.o.s. (Ethanol, Isopropanol), 3, II

A limited quantity may be renamed "consumer commodity" and reclassed as ORM-D. Please consult 49CFR 173.151(c) for additional information.

IATA Shipping Description (Air): UN1987, Alcohols, n.o.s. (Ethanol, Isopropanol), 3, II

## KLEENEX® Green Certified Foam Hand Sanitizer

**IMDG Shipping Description (Vessel):** UN1987, Alcohols, n.o.s. (Ethanol, Isopropanol), 3, II

ADR Shipping Description: UN1987, Alcohols, n.o.s. (Ethanol, Isopropanol), 3, II

Container Disposal: Empty containers should be rinsed with water and recycled or discarded with household garbage.

This product does not contain marine pollutants.

# 15. REGULATORY INFORMATION

## **US Regulations**

**EPA Toxic Substances Control Act (TSCA):** All of the components of this product are listed on the TSCA Inventory or exempted from TSCA.

SARA 302 Listed Chemicals: None.

SARA 311/312 Hazard Categories: Fire Hazard Acute Health

SARA 313 This Product Contains the Following Chemicals Subject to Annual Release Reporting Requirements Under the SARA Section 313 (40 CFR 372): None.

California Proposition 65: This product does not contain chemicals listed per the Safe Drinking Water and Toxic Enforcement Act of 1986.

#### **International Regulations**

# **EU Labeling:**



F - Highly flammable

- R11 Highly flammable.
- S16 Keep away from sources of ignition No smoking.
- S51 Use only in well ventilated areas.

**Canadian WHMIS Classification:** Drugs and cosmetics are not subject to the Hazardous Products Act (WHMIS).

#### 16. OTHER INFORMATION

HMIS Rating: Health 1 Fire 3 Reactivity 0



#### KLEENEX® Green Certified Foam Hand Sanitizer

# EU Classes and Risk Phrases for Reference (See Sections 2 and 3):

F - Highly flammable

Xi - Irritant

R11 - Highly flammable.

R36 - Irritating to eyes.

R67 - Vapours may cause drowsiness and dizziness.

The information contained herein is true and correct to the best of Kimberly-Clark's knowledge. However, no warranty, expressed or implied, is made. Nothing herein should be interpreted as a recommendation to infringe existing patents or violate any laws or regulations. Final determination of the suitability of the material is the sole responsibility of the user.